


STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO

ATIS 124.875 / TEL: +372 625 8210
TOWER 135.900
RADAR 127.900

TRANSITION ALTITUDE
5000

**LENNART MERI
TALLINN**

**RNAV (GNSS) SID
RWY 08**

**RNAV SID RWY 08**

BIRSI 1S GONOS 1S INTOR 1S LONSA 1S MOHNI 1S NITSO 1S ORTAX 1S OSMUR 1S PETOT 1S

NAV SPECIFICATION

P-RNAV APPROVAL REQUIRED. OTHERWISE INFORM ATC.

EN-ROUTE CLEARANCE

CONTACT TALLINN TWR ON FREQ 135.900 MHZ NOT EARLIER THAN 10 MINUTES PRIOR TO EOBT OR ESTIMATED ENGINE START-UP, ADVISE CALL SIGN, STAND/GATE NUMBER AND IF NOT ABLE TO FOLLOW RNAV SID.

PROC DESCRIPTION AND RNAV-UNABLE PROC INSTRUCTION: REF AD 2.22.

SQUAWK

SQUAWK THE ASSIGNED SSR-CODE IMMEDIATELY PRIOR PUSH-BACK OR TAXI.

INITIAL CLIMB

CLIMB TO 4000 FT MSL OR ASSIGNED ALTITUDE IF LOWER. CLIMB TO A HIGHER LEVEL ONLY WHEN CLEARED BY ATC. MNM CLIMB GRADIENT 6,6% (400 FT/NM) UP TO 4000 FT MSL. AIRCRAFT UNABLE TO COMPLY SHALL INFORM ATC.

RADIO CONTACT

AFTER TAKE-OFF CONTACT TALLINN RADAR FREQ 127.900 MHZ.

CHANGES: EER15A, EER15B.